Certificate



968/TA 1639.01/23

Product tested Stainless steel pressfittings with

specified EPDM / Viton O-Ring

connection

Certificate holder

ate Aalberts integrated piping systems B.V.
Oude Amersfoortseweg

99

1212 AA Hilversum The Netherlands

Type designation VSH XPress

Codes and standards TA Luft:2021 (in extracts)

Intended application DN 12 to DN 100

max. 16 bar (diameters 12 - 54 mm) max. 10 bar (diameters 76.1 - 108 mm)

EPDM: -30°C to max. 135°C Viton: -20°C to max. 200°C

Specific requirements The instructions of the associated Installation and Operating Manual shall

be considered.

The quality of the materials has to be in accordance with purchase order

specifications.

The tested XPress stainless steel pressfittings meet the relevant requirements of the stated standards.

The test statement was made on the basis of the documentation submitted by the manufacturer, the tests performed and the production monitoring. It only applies to sealing systems and devices manufactured in accordance with the tested samples.

The test statement is only valid for unchanged manufactured products.

Valid until 2028-11-16

The issue of this certificate is based upon an examination, whose results are documented in Report No. 968/TA 1639.01/23 dated 2023-11-15.

This certificate is valid only for products which are identical with the product tested.

TÜV Rheinland Industrie Service GmbH

Bereich Automation Funktionale Sicherheit Am Grauen Stein, 51105 Köln

Köln, 2023-11-16

TÜV Rheinland Industrie Service GmbH

Dipl.-Ing. (FH) Wolf Rückwart

TÜV Rheinland Industrie Service GmbH, Am Grauen Stein, 51105 Köln / Germany Tel.: +49 221 806-1790, Fax: +49 221 806-1539, E-Mail: Industrie-service@de.tuv.com

